

IN THE CLAIMS

This listing of the claim will replace all prior versions and listings of claim in the present application.

Listing of Claims

1. (Previously Presented): A document search system comprising:
an associative server which is capable of instructing a document search by specifying a document database j to be searched next among a plurality of document databases based on a search result generated from a previous search of a document database i ,; and

an associative search recording table which records the number of times x_{ij} of searching said document database j based on the search results generated from the previous searches of said document database i .

2. (Previously Presented): The document search system according to claim 1, further comprising:

means for changing a showing order of document databases to be searched by using data from said associative search recording table.

3. (Previously Presented): The document search system according to claim 1, wherein a different associative search recording table is stored for each user, and, by using said different associative search recording table for each user, a showing order of document databases to be searched is changed according to said user.

4. (Previously Presented): The document search system according to claim 1, further comprising:

means for calculating a registration fee of each document database by using said associative search recording table.

5. (Previously Presented): The document search system according to claim 4, wherein a registration fee is calculated according to a sum of the number of times a document database is a search origin for a document search and the number of times a document database is a search target for a document search.

6. (Previously Presented): A search server for mediating between a search client and a plurality of document databases, comprising:

associative server means which is capable of instructing a document search by specifying a document database j to be searched next among a plurality of document databases based on a search result generated from a previous search of a document database i ,

wherein said associative server means comprises:

search query analyzing means for analyzing a search query from said search client,

search query constructing means for sending the search query analyzed by said search query analyzing means to the document database specified by the search client,

means for sending a search result of said specified document database to said search client, and

associative search recording table storing means for storing an associative search recording table which records the number of times x_{ij} of searching said document database j based on the search results generated from the previous searches of said document database i .

7. (Previously Presented): The search server according to claim 6, wherein said associative server means further comprises:

showing order changing means for changing a showing order of document databases to be searched and to be shown to said search client by using data from said associative search recording table.

8. (Previously Presented): The search server according to claim 7, wherein said associative search recording table storing means stores a different associative search recording table for each user, and

wherein said showing order changing means changes a showing order of document databases to be searched and to be shown to said search client according to said user by using said different associative search recording table for each user.

9. (original): The search server according to claim 6, wherein a registration fee of each document database is calculated by using said associative search recording table stored by said associative search recording table storing means.

10. (Previously Presented): The document search system according to claim 1, wherein for each document database j of said plurality of document databases, said associative search recording table has plural entries each indicating the number of times x_{ij} of searching the document database j based on the search results generated from the previous searches of document databases i , respectively.

11. (Currently Amended): The document search system according to claim 1, wherein said associative search recording table records the number of times x_{ij} of searching said document database j based on a search result using a keyword i for searching said document database j .

12. (Currently Amended): The document search system according to claim 11, wherein for each document database j of said plurality of document databases, said associative search recording table has plural entries each indicating the number of times x_{ij} of searching the document database j ~~databases~~ based on the search results generated from the previous searches of document databases j or keywords i for searching said document databases j , respectively.

13. (Currently Amended): The search server according to claim 6, wherein for each ~~document databases,~~ of said plurality of document databases, said associative search recording table has plural entries each indicating the number of times x_{ij} of searching the document database j based on the search

results generated from the previous searches of document databases i , respectively.

14. (Currently Amended): The search server according to claim 6, wherein said associative search recording table records the number of times x_{ij} of searching a document database j based on a search result of a keyword i for searching said document database i .

15. (Currently Amended): The search server according to claim 14, wherein for each document database j , of said plurality of document databases, said associative search recording table has plural entries each indicating the number of times x_{ij} of searching the document database j based on the search results generated from the previous searches of document databases i or keywords i for searching said document databases i , respectively.

16. (Previously Presented): A document search method comprising the steps of:

instructing a document search by specifying a document database j to be searched next among a plurality of document databases based on a search result generated from a previous search of a document database i ;

storing an associative search recording table which records the number of times X_{ij} of searching said document database j based on the search results generated from the previous searches of said document database i ; and,

using data from said associative search recording table to help specify said document database j to be searched next among said plurality of document

databases.

17. (Previously Presented): A document search method according to claim 16, comprising the steps of:

changing a showing order of document databases to be searched by using data from said associative search recording table.

18. (Previously Presented): A document search method according to claim 16, wherein a different associative search recording table is stored for each user, and, by using said different associative search recording table for each user, a showing order of document databases to be searched is changed according to said user.

19. (Previously Presented): A document search method according to claim 16, comprising the steps of: calculating a registration fee of each document database by using said associative search recording table.

20. (Previously Presented): A document search method according to claim 19,

comprising the steps of:

calculating the registration fee according to the sum of a number of times a document database is a search origin for a document search and the number of times a document database is a search target for a document search.

21. (Previously Presented): A document search method according to claim 16, wherein for each document database j , of said plurality of document databases, said associative search recording table has plural entries each indicating the number of times X_{ij} of searching the document database j based on the search results generated from the previous searches of said document databases i , respectively.

22. (Currently Amended): A document search method according to claim 16, comprising the steps of:

storing, in the associative search recording table, the number of times X_{ij} of searching a document database j based on a search result of a keyword i for searching said document database i .

23. (currently amended) A document search method according to claim 22, wherein for each document database j , of said plurality of document databases, said associative search recording table has plural entries each indicating the number of times X_{ij} of searching the document database j based on the search results generated from the previous searches of said document databases j or keywords i for searching said document databases i , respectively.